RAHEIN EDUCATION PVT. LTD.

RAHEIN EDUCATION www.raheineducation.com

CONTACT: 9205010851

Website: www.raheineducation.com

BY

Asst. Prof. Tarun Kumar Gautam (B.Tech, M.Tech, PhD (P)) Currently working in Jamia Hamdard, (HSC), Delhi Working on Nano Technology with Rise University, USA Author of 8 books regarding Physics and Engineering Subject.

Ex-Faculty of Rajshree Institute of Management & Technology (RMIT), Braeilly, Uttar Prdesh

Ex-Faculty of Assistant professor in Krishna Engineering Collage (KEC), Ghaziabad, Uttar Prdesh Member of Educational Project in University of Petroleum and Energy Studies (UPES), UK



ERAHEIN EDUCATION PHYSICSwww.raheineducation.com





This book is also useful for NEET & JEE Top 250 Theory Questions

Education Pvt. Ltd



Asst. Prof. Tarun Kumar Gautam (B.Tech, M.Tech, P.hD(P))

ANNUAL PAPER – 2019

RAHEIN EDUCATION PHYSICS

Time Allowed: 3 hours

CLASS – XII

Maximum Marks: 70

General Instructions:

- 1 All questions are compulsory. There are 27 questions in all.
- 2 This question paper has four sections: Section A, Section B, Section C, and Section D.
- 3 Section A contains five questions of one mark each, Section B contains seven question of two marks each, Section C contains twelve questions of three marks each, and Section D contains three questions of five marks each.
- 4 There is no overall choice. However, an integral choice(s) has been provided in two questions of one mark, two questions of two marks, four questions of three marks and all three questions of five marks weightage. You have to attempt only one of the choices in such questions.

SET -1

Section –A

1. Draw the pattern of electric field lines, when a point charge- Q is kept near an uncharged conducting plate.

2. How does the mobility of electrons in a conductor change, if the potential difference applied across the conductor is doubled, keeping the length and temperature of the conductor constant?

3. Define the term "threshold frequency", in the context of photoelectric emission.

Or

Define the term "Intensity", in photon picture of electromagnetic radiation.

4. What is the speed of light in a denser medium of polarizing angle 30°?

5. In sky wave mode of propagation, why is the frequency range of transmitting signals restricted to less than 30 MHz?

Section – B

6. Two bulbs are rated (P_1 , V) and (P_2 , V). If they are connected (i) in series and (ii) in parallel across a supply V, find the power dissipated in the two combinations in terms of P_1 and P_2 .

7. Calculate the radius of curvature of an equi- concave lens of refractive index 1.5, when it is kept in a medium of refractive index 1.4, to have a power of -5D.

Or

An equilateral glass prism has a refractive index 1.6 in air. Calculate the angle of minimum deviation of the prism, when kept in a medium of refractive index $4\sqrt{2}/5$.

8. An α - particle and a proton of the same kinetic energy are in turn allowed to pass through a magnetic field \overline{B} , acting normal to the direction of motion of the particles. Calculate the ratio of radii of the circular paths described by them.

9. State Bohr's quantization condition of angular momentum. Calculate the shortest wavelength of the Bracket series and state to which part of the electromagnetic spectrum it belongs.

Or

Calculate the orbital period of the electron in the first excited state of hydrogen atom.

10. Why a signal transmitted from a TV tower cannot be received beyond a certain distance? Write the expression for the optimum separation between the receiving and the transmitting antenna.

11. Why is wave theory of electromagnetic radiation not able to explain photoelectric effect? How does photon picture resolve this problem?

RAHEIN EDUCATION PHYSICS

12. Plot a graph showing variation of de Broglie wavelength (λ) associated with a charged particle of mass *m*, versus $1/\sqrt{V}$, where V is the potential difference through which the particle is accelerated. How does this graph give us the information regarding the magnitude of the charge of the particle?

Section – C

13. (a) Draw the equipotential surfaces corresponding to a uniform electric field in the z – direction.

(b) Derive an expression for the electric potential at any point along the axial line of an electric dipole.

14. Using Kirchhoff's rules, calculate the current through the 40Ω and 20Ω resistors in the following circuit:



What is end error in a metre bridge? How is it overcome? The resistance in the two arms of the metre bridge are $R = 5\Omega$ and S respectively. When the resistance S is shunted with an equal resistance, the new balance length found to be 1.5 l_1 where l_1 is the initial balancing length. Calculate the value of S.



15. (a) Identify the part of the electromagnetic spectrum used in (i) radar and (ii) eye surgery. Write their frequency range.

(b) Prove that the average energy density of the oscillating electric field is equal to that of the oscillating field.

16. Define the term wavefront. Using Huygen's wave theory, verify the law of motion.

RAHEIN EDUCATION PHYSICS

Define the term, "refractive index" of a medium. Verify Snell's law of refraction when a plane wavefront is propagating from a denser to a rarer medium.

17. (a) Define mutual inductance and write its S.I. Unit.

(b) A square loop of side '*a*' carrying a current I_2 is kept at distance x from an infinitely long straight wire carrying a current I_1 as shown in figure. Obtain the expression for the resultant force acting on the loop.



18. (a) Derive the expression for the torque acting on a current carrying loop placed in a magnetic field.

(b) Explain the significance of a radial magnetic field when a current carrying coil is kept in it.

19. Draw a labeled ray diagram of an astronomical telescope in the near point adjustment position.

A giant refracting telescope at an observatory has an objective lens of focal length 15 m and an eyepiece of focal length 1.0 cm. If this telescope is used to view the Moon, find the diameter of the image of the Moon formed by the objective lens. The diameter of the Moon is 3.48×10^6 m, and the radius of lunar orbit is 3.8×10^8 m.

20. (a) State Gauss's law for magnetism. Explain its significance.

(b) Write the four important properties of the magnetic field lines due to a bar magnet.

Or

Write three points of differences between para-, dia- and ferro- magnetic materials, giving one example of each.

21. Define the term 'decay constant' of a radioactive sample. The rate of disintegration of a given radioactive nucleus is 10000 disintegrations/s and 5,000 disintegrations/s after 20 hr and 30 hr respectively from start. Calculate the half life and initial number of nuclei at t = 0.

22. (a) Three photodiodes D_1 , D_2 and D_3 are made of semiconductors having band gaps of 2.5 eV , 2 eV , and 3 eV respectively. Which of them will not be able to detect light of wavelength 600nm?

(b) Why photodiodes are required to operate in reverse bias? Explain.

23. (a) Describe briefly the functions of the three segments of n-p-n transistor.

(b) Draw the circuit arrangement for studying the output characteristics of n-p-n transistor in CE configuration. Explain how the output characteristics are obtained.

Or

Draw the circuit diagram of a full wave rectifier and explain its working. Also, give the input and output waveforms.

24. (a) If A and B represent the maximum and minimum amplitudes of an amplitude modulated wave, write the expression for the modulation index in terms of A & B.

(b) A message signal of frequency 20 kHz and peak voltage 10 V is used to modulate a carrier of frequency 2 MHz and peak voltage of 15 V. Calculate the modulation index. Why the modulation index is generally kept less than one?

RAHEIN EDUCATION PHYSICS

25. (a) In a series of LCR circuit connected across an ac source of variable frequency, obtain the expression for its impedance and draw a plot showing its variation with frequency of the ac source.

(b) What is the phase difference between the voltage across inductor and the capacitor at resonance in the LCR circuit?

(c) When an inductor is connected to a 200 V dc voltage, a current of 1A flows through it. When the same inductor is connected to a 200 V, 50 Hz ac source, only 0.5A current flows. Explain, why? Also, calculate the self inductance of the inductor.

Or

(a) Draw the diagram of a device which is used to decrease high ac voltage into a low ac voltage and state its working principle. Write four source of energy loss in this device.

(b) A small town with a demand of 1200 kW of electric power at 220 V is situated 20 km away from an electric plant generating power at 440 V. The resistance of the two wire line carrying power is 0.5 Ω per km. The town gets the power from the line through a 4000-220 V step – down transformer at a sub-station in the town. Estimate the line power loss in the form of heat.

26. (a) Describe any two characteristic features which distinguish between interference and diffraction phenomena. Derive the expression for the intensity at a point of the interference pattern in Young's double slit experiment.

(b) In the diffraction due to a single slit experiment, the aperture of the slit is 3 mm. If monochromatic light of wavelength 620 nm is incident normally on the slit, calculate the separation between the first order minima and the 3^{rd} order maxima on one side of the screen. The distance the slit and the screen is 1.5 m.

27. (a) Describe briefly the process of transferring the charge between the two plates of a parallel plate capacitor when connected to a battery. Derive an expression for the energy stored in a capacitor.

(b) A parallel plate capacitor is charged by a battery to a potential difference V. It is disconnected from battery and then connected to another uncharged capacitor of the same capacitance. Calculate the ratio of the energy stored in the combination to the initial energy on the single capacitor.

Or

- (a) Under what conditions is the phenomenon of total internal reflection of light observed? Obtain the relation between the critical angle of incidence and the refractive index of the medium.
- (b) Three lenses of focal length +10 cm, -10 cm and + 30 cm are arranged coaxially as in the figure given below. Find the position of the final image formed by the combination.

RAHEIN EDUCATION PHYSICS

SET – 2

- When unpolarised light is incident on the interface separating the rarer medium and the denser medium, Brewster angle is found to be 60°. Determine the refractive index of the denser medium.
- 2) When a potential difference is applied across the ends of a conductor, how is the drift velocity of the electrons related to the relaxation time?
- 3) Draw the equipotential surfaces due to an isolated point charge.
- 4) Explain with the help of Einstein's photoelectric equation any two observed feature in photoelectric effect which cannot be explained by wave theory.
- 5) A deuteron and an alpha particle having same momentum are in turn allowed to pass through a magnetic field \vec{B} , acting normal to the direction of motion of the particles. Calculate the ratio of the radii of the circular paths described by them.
- 6) (a) Plot a graph showing variation of de Broglie wavelength (λ) associated with a charged particle of mass m, versus \sqrt{V} , where V is the accelerating potential.

(b) An electron, a proton and an alpha particle have the same kinetic energy. Which one has the shortest wavelength?

7) (a) State the underlying principle of a moving coil galvanometer.

(b) Give two reasons to explain why a galvanometer cannot as such be used to measure the value of the current in a given circuit.

(c) Define the terms: (i) voltage sensitivity and (ii) current sensitivity of a galvanometer.

8) (a) Write the relation between half life and average life of a radioactive nucleus.

(b) In a given sample two isotopes A and B are initially present in the ratio of 1 : 2. Their half lives are 60 years and 30 years respectively. How long will it take so that the sample has these isotopes in the ratio of 2 : 1?

9) (a) Define the term 'self inductance' of a coil. Write its S.I unit.

(b) A rectangular loop of sides a and b carrying current I_2 is kept at a distance 'a' from an infinitely long straight wire carrying current I_1 as shown in the figure.

Obtain an expression for the resultant force acting on the loop.



RAHEIN EDUCATION PHYSICS

SET – 3

- 1) Distinguish between unpolarised and linearly polarized light.
- 2) How is the drift velocity in a conductor affected with the rise in temperature?
- 3) Draw the pattern of electric field lines when a point charge +q is kept near an unchanged conducting plate.
- 4) (a) Define the terms, (i) threshold frequency and (ii) stopping potential in photoelectric effect.

(b) Plot a graph of photocurrent versus anode potential for a radiation of frequency v and intensities I_1 and I_2 ($I_1 < I_2$).

5) Obtain the expression for the ratio of the de Broglie wavelengths associated with the electron orbiting in the second and third excited states of hydrogen atom.

6) A charged particle q is moving in the presence of a magnetic field B which is inclined to an angle 30° with the direction of the motion of the particle. Draw the trajectory followed by the particle in the presence of the field and explain how the particle describes this path.

7) (a) Explain briefly how Rutherford scattering of α - particle by a target nucleus can provide information on the size of the nucleus.

(b) Show that density of nucleus is independent of its mass number A.

8) State the underlying principle of a cyclotron. Explain its working with the help of a schematic diagram. Obtain the expression for cyclotron frequency.

9) Two infinitely long straight wires A_1 and A_2 carrying currents I and 2I flowing in the same directions are kept 'd' distance apart. Where should a third straight wire A_3 carrying current 1.5 I be placed between A_1 and A_2 so that it experiences no net force due to A_1 and A_2 ? Does the net force acting on A_3 depend on the current flowing through it?

10) (a) Draw the equipotential surfaces due to an electric dipole.

(b) Derive an expression for the electric field due to a dipole moment \vec{p} at a point on its perpendicular bisector.

CBSE RESULT 2020

RAHEIN EDUCATION www.raheineducation.com
PHYSICS



Special Physics for NEET/JEE

Timing: 8:30a.m. to 10:30a.m. [Monday to Friday] Saturday: Test Fees: Rs. 25,000 and Online Test Series Rs. 1,000 Place: Rahein Education Pvt. Ltd. Contact us: 9205010851, 9711833446 For Free Download Notes: <u>www.raheineducation.com</u> E-mail: tarunkumar.csengg@gmail.com